


Military Government

Weekly Health Report



*Cmd chief Gen
APO 757
ATTN chief
cmd NY sent*

OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH AND WELFARE BRANCH

Occupied Germany:

In the following Appendices "A", "B", and "C" are summaries of communicable disease cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ended 8 March 1947.

Communicable Diseases:

Two cases of smallpox were reported in Wiesbaden, Land Hesse. These cases occurred in the same family as did those previously reported during the weeks ending 15 February and 22 February. Tuberculosis, gonorrhea, and syphilis remain approximately the same. Influenza decreased from 93 cases during the previous week to 54. However, there were four deaths due to influenza reported this week; three in Land Hesse and one in Land Bavaria. In Land Hesse influenza increased from two cases during the previous week to 20. These cases are under investigation at the present time. Diphtheria, scarlet fever, whooping cough, and measles continue their downward trends.

APPENDIX "A"

Communicable Disease Report United States Zone of Germany for Week ending 8 March 1947

Regierungs- bezirk	Popu- lation	Reported Number of New CASES and DEATHS of COMMUNICABLE DISEASE																							c: Cases		d: Deaths				
		Cases, Deaths		Typhus Fever	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung and Larynx	Tuberculosis other	Whooping Cough	Meningitis	Meningococcus	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis epid.	Rabies	Malaria	Influenza	Measles	
TOTAL US Zone	18,158,369	c	p	—	—	—	—	—	523 26	131 —	878 218	136 23	227 7	13 4	4 —	1582 —	911 2	51 4	7 —	11 3	1 —	1 —	1 —	18 —	3604 —	3 2	—	2 —	54 4	477 1	
Unterfranken	1,012,873	c	p	—	—	—	—	—	20 1	5 —	25 9	3 1	17 1	1 —	—	42 —	36 —	7 —	1 —	—	—	—	—	—	293 —	—	—	—	—	—	19 —
Ober- and Mittelfranken	2,316,931	c	p	—	—	—	—	—	60 2	16 —	113 24	6 —	53 3	—	—	227 —	145 1	7 —	1 —	1 —	—	—	—	—	792 —	—	—	—	—	—	82 —
Niederbayern and Oberpfalz	2,010,972	c	p	—	—	—	—	—	35 1	5 —	65 19	11 2	19 —	—	—	135 —	67 —	9 —	1 —	—	—	—	—	—	583 —	1 —	—	—	—	—	99 1
Schwaben	1,220,880	c	p	—	—	—	—	—	30 2	1 —	46 8	2 —	30 1	—	—	139 —	55 —	1 —	—	—	—	—	—	—	252 —	2 —	—	—	2 1	38 —	
Oberbayern	2,421,359	c	p	—	—	—	—	—	53 4	20 —	124 15	11 2	7 —	4 1	—	223 —	136 —	6 —	2 —	2 1	—	—	—	—	311 —	—	—	1 —	—	32 —	
Kassel	1,231,960	c	p	—	—	—	—	—	45 4	12 —	69 14	7 5	8 1	2 1	—	54 —	45 —	3 —	—	—	—	—	—	10 —	246 —	—	—	—	20 3	7 —	
Wiesbaden	1,551,184	c	p	—	—	—	—	—	51 1	11 —	58 23	46 3	4 1	2 1	—	257 —	149 —	2 —	—	—	—	—	—	—	103 —	—	—	—	—	16 —	
Darmstadt	1,267,044	c	p	—	—	—	—	—	36 —	6 —	66 9	12 1	7 —	2 —	1 —	61 —	38 —	1 —	2 —	—	—	—	1 —	1 —	249 —	—	—	—	—	43 —	
Baden	1,386,544	c	p	—	—	—	—	—	53 8	14 —	86 14	10 —	21 —	1 —	—	132 —	60 —	2 —	—	—	—	—	—	—	448 —	—	—	—	—	9 —	
Wuerttemberg	2,263,015	c	p	—	—	—	—	—	65 2	23 —	79 23	9 4	56 1	1 —	—	107 —	58 —	9 —	1 —	—	—	—	—	2 —	210 —	—	—	—	—	132 —	
Bremen	491,605	c	p	—	—	—	—	—	36 1	5 —	49 17	7 —	5 —	—	—	99 —	49 —	1 —	—	—	—	—	—	—	5117 —	—	—	1 —	32 —	—	
Berlin (US Sector)	984,002	c	p	—	—	—	—	—	39 —	13 —	98 43	12 4	—	—	—	106 —	73 —	4 3	—	7 1	—	—	—	—	—	—	—	—	—	—	—

+ Indicates no data submitted. — Indicates no cases reported.

APPENDIX "B" Communicable Disease Report (by Land) United States Zone of Germany for Week ending 8 March 1947

Land	Popu- lation	Cases, Deaths	Reported Number of New CASES and DEATHS of COMMUNICABLE DISEASE c: Cases d: Deaths																										
			Typhus Fever	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung and Larynx	Tuberculosis other	Whooping Cough	Meningitis Meningococcus	Poliomyelitis	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis epid.	Rabies	Malaria	Influenza	Measles
Total US Zone	18,158,369	c	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bavaria	8,983,015	c	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hesse	4,050,188	c	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wuerttemberg Baden	3,649,559	c	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bremen	491,605	c	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Berlin US Sector)	984,002	c	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Case Rates Expressed as per 10,000 Population per Annum

Total US Zone	18,158,369		—	0.1	—	—	—	—	15.0	3.8	25.1	3.9	6.5	0.4	0.1	45.3	26.1	1.5	0.2	0.3	0.0	0.0	0.5	103.2	0.1	—	0.1	1.5	137
Bavaria	8,983,015		—	—	—	—	—	—	11.5	2.7	21.6	1.9	7.3	0.3	—	44.3	25.4	1.7	0.3	0.2	0.1	—	—	129.2	0.2	—	0.1	0.1	15.6
Hesse	4,050,188		—	0.3	—	—	—	—	16.9	3.7	24.8	8.3	2.4	0.8	0.1	47.8	29.8	0.8	0.3	—	—	0.1	1.4	76.8	—	—	—	2.6	8.5
Wuerttemberg- Baden	3,649,559		—	—	—	—	—	—	16.8	5.3	23.5	2.7	11.0	0.3	0.3	34.1	16.8	1.6	—	0.1	—	—	0.3	93.8	—	—	—	—	20.1
Bremen	491,605		—	—	—	—	—	—	38.1	5.3	51.8	7.4	5.3	—	—	104.7	51.8	1.1	—	—	—	—	5.3	123.8	—	—	1.1	33.8	—
Berlin (US Sector)	984,002		—	—	—	—	—	—	20.6	6.9	51.8	6.3	+	—	0.5	56.0	38.6	2.1	—	3.7	—	—	—	+	—	—	—	+	+


+ Indicates no data submitted. — Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05

APPENDIX "C"

Communicable Disease Rates United States Zone of Germany for Week ending 8 March 1947

Regierungs-Bezirk	Popu- lation	Typhus Fever	Louse Borne	Smallpox	Anthrax	Relapsing Fever	Cholera	Plague	Diphtheria	Scarlet Fever	Tuberculosis Lung & Larynx	Tuberculosis other	Whooping Cough	Meningitis Meningococcus	Gonorrhea	Syphilis	Typhoid Fever	Paratyphoid	Dysentery Infectious	Bact. Food Poisoning	Undulant Fever	Infectious Jaundice	Scabies	Encephalitis Epidemic	Rabies	Malaria	Influenza	Measles	
Total US Zone	18,158,369	—	—	0.1	—	—	—	—	15.0	3.8	25.1	3.9	6.5	0.4	0.1	45.3	26.1	1.5	0.2	0.3	0.0	0.0	0.5	103.2	0.1	—	0.1	1.5	13.7
Unterfranken	1,012,873	—	—	—	—	—	—	—	10.3	2.6	12.8	1.5	8.7	0.5	—	21.6	18.5	3.6	0.5	—	—	—	—	150.4	—	—	—	—	9.8
Ober- and Mittelfranken	2,316,931	—	—	—	—	—	—	—	13.5	3.6	25.4	1.3	11.9	—	—	50.9	32.5	1.6	0.2	0.2	—	—	—	177.7	—	—	—	—	18.4
Niederbayern and Oberpfalz	2,010,972	—	—	—	—	—	—	—	9.1	1.3	16.8	2.8	4.9	—	—	34.9	17.3	2.3	0.3	—	—	—	—	150.8	0.3	—	—	—	25.6
Schwaben	1,220,880	—	—	—	—	—	—	—	12.8	0.4	19.6	0.9	12.8	—	—	59.2	23.4	—	—	—	—	—	—	107.3	0.9	—	—	0.9	16.2
Oberbayern	2,421,359	—	—	—	—	—	—	—	11.4	4.3	26.6	2.4	1.5	0.9	—	47.9	29.2	1.3	0.4	0.4	0.2	—	—	66.8	—	0.2	—	—	6.9
Kassel	1,231,960	—	—	—	—	—	—	—	19.0	5.1	29.1	3.0	3.4	0.8	—	22.8	19.0	1.3	—	—	—	4.2	103.8	—	—	—	8.4	3.0	
Wiesbaden	1,551,184	—	—	0.7	—	—	—	—	17.1	3.7	19.4	15.4	1.3	0.7	—	86.2	49.9	0.7	—	—	—	—	—	34.5	—	—	—	5.4	
Darmstadt	1,267,044	—	—	—	—	—	—	—	14.8	2.5	27.1	4.9	2.9	0.8	0.4	25.0	15.6	0.4	0.8	—	0.4	0.4	102.2	—	—	—	—	—	17.6
Baden	1,386,544	—	—	—	—	—	—	—	19.9	5.3	32.3	3.8	7.9	0.4	—	49.5	22.5	0.8	—	—	—	—	—	168.0	—	—	—	—	3.4
Wuerttemberg	2,263,015	—	—	—	—	—	—	—	14.9	5.3	18.2	2.1	12.9	0.2	0.5	24.6	13.3	2.1	—	0.2	—	—	0.5	48.3	—	—	—	—	30.3
Bremen	491,605	—	—	—	—	—	—	—	38.1	5.3	51.8	7.4	5.3	—	—	104.7	51.8	1.1	—	—	—	—	5.3	123.8	—	1.1	33.8	—	—
Berlin (US Sector)	984,002	—	—	—	—	—	—	—	20.6	6.9	51.8	6.3	+	—	0.5	56.0	38.6	2.1	—	3.7	—	—	—	+	—	—	—	+	+

+ Indicates no data submitted. — Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05. (Rates Expressed as per 10,000 Population per Annum).



11711175:4/2/47